



Cordless Circular Saw
BSS610 165mm (6-1/2")

Satisfy Professional's Needs



MUSCULAR SAW



LXT

LITHIUM-ION

Take it anywhere you like



Built-in Blow-off Nozzle



LED Job Light



Cutting Depth indication



Ergonomic Grip



0 - 50 degree



Cordless Circular Saw

18V 3.0Ah LITHIUM-ION

- Electric Brake
- Carrying Case
- Built-in Job Light



- Fast Charger, Battery Cartridge (2pcs.), T.C.T. Saw Blade, Guide Rule, Hex Wrench

BSS610 165mm (6-1/2")

432

Capacity	at 90 degrees : 0-57mm (2-1/4") at 45 degrees : 0-40mm (1-9/16") at 50 degrees : 0-36mm (1-7/16")
Blade diameter	165mm (6-1/2")
No load speed	3,700rpm
Dimensions (L x W x H)	347 x 202 x 228mm (13-5/8" x 8" x 9")
Net weight	3.2 kg (7.1 lbs)
Voltage	18V

Items of standard equipment and specifications may differ from country to country.

Optional Accessories

T.C.T. saw blade (For Wood)

Blade diameter (mm)	Hole diameter (mm)	Tip thickness (mm)	No. teeth	Part No.
165	20	1.5	24	A-85101
165	20	1.6	40	A-85226
165	20	1.6	52	A-85189

EXTREME STAMINA

Life time work volume

430%

in comparison with Makita Ni-cd 2.0Ah batteries

Total Power Delivery Amount of each battery's service lifetime

	Li-ion 3.0Ah	430
	Ni-MH 3.0Ah	130
	Ni-cd 2.0Ah	100

The numbers in the chart are relative values when the amount of Ni-cd 2.0Ah is indexed at 100.

LIGHTWEIGHT & COMPACT



40% lighter

MAKITA 18V Ni-MH 3.0Ah



MAKITA 18V Li-ion 3.0Ah




- ANYTIME CHARGE NO MEMORY EFFECT
- LONGTIME STORAGE
- LOW SELF DISCHARGE
- SHOCK ABSORBING HEAVY DUTY PACK
- FIRM HOLDING MULTI CONTACT

430% Only Achieved with...


MAKSTAR Charger's Optimum Charging System

- Communicates with individual battery.
- Recognizes ID of battery and its history.
- Analyzes its condition ; Battery may have been abused by heat or over-discharging, or weakened by cycle age.
- Charges optimum and gentle way with Active 3 Controls ;
 - Active Current Control
 - Active Thermal Control
 - Active Voltage Control
- Knows how to look after each MAKSTAR battery to MAXIMIZE CYCLE LIFE + WORK VOLUME.




Cools down inside battery.

Traditional Charging Method



MAKSTAR Charger's Optimum Charging System



Makita Corporation

3-11-8, Sumiyoshi-cho, Anjo, Aichi 446-8502, Japan

PRINTED IN JAPAN Z23210-2 2005-11